



ศูนย์พิษวิทยารามาธิบดี

คณะแพทยศาสตร์โรงพยาบาลรามาธิบดี มหาวิทยาลัยมหิดล

อาคารสุโขเพลส ถนนสุขุมวิท กรุงเทพมหานคร 10300 สายด่วน 1367 โทรสาร 0-2201-1084

RAMATHIBODI POISON CENTER

Faculty of Medicine Ramathibodi Hospital, Mahidol University


Sukho Place Building, Sukhothai Rd., Bangkok 10300 Hotline 1367

***Onset = เวลาที่กินจนถึงเวลาที่เกิดอาการผิดปกติของระบบทางเดินอาหาร**

Adult Mushroom ingestion

Age ≥ 15 years

*Exclude pregnant cases



* Consult Ramathibodi Poison Center (RPC): Tel. 1367 if

- Pregnancy
- AST or ALT > 500 IU/L
- Suspected rhabdomyolysis (myalgia with CPK > 1,000 or UA blood marked +)

Medications (RPC recommendation)

- **MDAC (Multiple doses of activated charcoal) (Strongly recommended):** Activated charcoal 50 gm oral then 25 gm oral q 6 h
- **NAC (Strongly recommended)** 150 mg/kg + 5% DW or 0.45% NaCl IV drip in 1 h then NAC 50 mg/kg + 5% DW or 0.45% NaCl IV drip in 4 h then continue NAC 150 mg/kg + 5% DW or 0.45% NaCl IV drip in 24 h OD
- **Penicillin G Sodium (Recommended)** 300,000 u/kg divided q 6 h IV
- **Silymarin (Optional)** (140) 8 tabs q 6 h (สลับกับ MDAC q 3 h)